

LEDDriving CAP LEDCAP06



LEDDriving CAP are designed to enable the installation of the H7-LED to have an accurate fit and to protect the headlight system. These products are a replacement of the original cap to offer a qualitative system component for the legal usage.


Product datasheet

Technical data

Product information

Order reference	LEDCAP06
Application (Category and Product specific)	Accessories for LED retrofits

Dimensions & weight



Diameter	76.0 mm
Product weight	28.00 g

Capabilities

Technology	LED accessories
------------	-----------------

Country specific categorizations

Order reference	LEDCAP06
-----------------	----------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	16-06-2023
Primary Article Identifier	4062172305952
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172305952	LEDriving CAP 06	Folding carton box 2	101 mm x 101 mm x 101 mm	1.03 dm ³	62.00 g

Product datasheet

4062172305969	LEDiving CAP 06	Shipping carton box 8	415 mm x 109 mm x 134 mm	6.06 dm ³	376.00 g
4062172305976	LEDiving CAP 06	Shipping carton box 48	435 mm x 348 mm x 300 mm	45.41 dm ³	3035.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

The OSRAM logo is displayed in a bold, orange, sans-serif font.